International Journal of Computer Science and Mechatronics
A peer reviewed international journal | Article available at http://ijcsm.in | SJIF 8.726
©smsamspublications.com | Vol.12.Issue.5. 2026.ISSN: 2455-1910

Deep Learning Based Stock Market Analysis and Forecasting Using GRU

C. Meena[1], N Chandana[2], V. Muni Vivek[3], P. Rakesh[4], Ch. Sai Surya Chakri[5], T. Kushwanth[6]

[1,2]Assistant Professors, [3,4,5,6]Project Students, Department Of CSE, H&S, AITS, Tirupati

meenachirri@gmail.com, nchandana2903@gmail.com, munivivekv@gmail.com, rpatikineni@gmail.com
suryareddychillakuru@gmail.com laddumom428@gmail.com

Abstract

Stock market analysis and forecasting are critical for informed financial decision-making and investment strategy development. Numerous factors, such as corporate performance, market trends, and patterns in historical data, impact the stock market, which makes it easier to acquire and sell equity shares. The intricate relationships and time-varying dynamics of stock prices are frequently too complicated for conventional methods like technical and fundamental analysis. To address these limitations, this project employs advanced deep learning techniques, specifically Gated Recurrent Units (GRU), implemented using PyTorch, to analyze and forecast stock market trends. GRU, a simplified variant of LSTM, processes sequential data efficiently by utilizing its update and reset gates, which help capture long-term dependencies and streamline computations. The proposed GRU-based model is trained on historical stock market data, focusing on trend analysis, cyclical fluctuations, and seasonality to provide accurate forecasts. By emphasizing computational efficiency and faster model convergence, the approach effectively extracts complex nonlinear patterns from stock data. Experimental results highlight that the GRU model outperforms traditional statistical methods in terms of accuracy and resource utilization. This study shows how GRU-based deep learning models may help financial analysts and investors make better informed and dependable investment choices.

Keywords: Stock market analysis, forecasting, investment strategy, deep learning, Gated Recurrent Units (GRU), PyTorch.

I. INTRODUCTION

The stock market has long been the central focus of financial analysts, traders, and investors as it is always dynamic and very promising in giving substantial returns. Among the most challenging tasks in the financial domain, however, is predicting stock market trends. These are mainly driven by several factors such as volatility in the market, external influences of the economy, geopolitical occurrences, investor sentiment, and the forces of supply and demand. These variables produce stochastic, non-linear patterns that are challenging to understand using conventional statistical models.

Many approaches, from basic and technical analysis to sophisticated computer systems, have been investigated over time to handle the complexities of stock market prediction. While technical analysis concentrates on past price trends and patterns, fundamental research depends on assessing a company's financial health, market position, and macroeconomic data. These conventional approaches, however, widely used, are frequently constrained by their incapacity to identify the intricate, high-dimensional connections seen in financial data. The subject of financial forecasting has seen a revolution with the introduction of machine learning (ML) and deep learning (DL) techniques, which have opened new approaches to addressing the challenges of stock market prediction. LSTMs have quickly become popular with the time-series prediction since they tend to remember pertinent information over large sequences, thereby fitting well with the kind of stock market prediction. In that regard, the networks obviate a critical problem seen with standard RNNs-known as the vanishing gradient-problem, so it can learn from and make long-term predictions of the data in dependence. On the other side, DNNs are also very good at discovering complex, higher-level features about data through lots of layers that include non-linear transformations.

Our experiment shows the results in high predictive accuracy when compared to current models. In hybrid architecture, R-squared values are 0.986, MAE is 0.021, and MSE is 0.0011 in all datasets. It also addresses several limitations found in the previous studies. This study is more focused on long-term predictions, and it used a variety of datasets to make it scalable and robust. Additionally, ablation research was carried out to assess the separate contributions of the DNN and LSTM components, providing more in-depth understanding of the model's architecture and how it affects predictive performance.

II. BACKGROUND STUDY

Due to its practical importance and the difficulty of comprehending market dynamics, stock market prediction has been the subject of intensive research for many years. From conventional statistical models to more recent developments in machine learning (ML) and deep learning (DL), a variety of methods have been put forth to forecast stock prices. This chapter covers the development of these methods, their advantages and disadvantages, and the advances made toward overcoming the problems of stock market forecasting.

2.1. Traditional Statistical Models

The first approaches to stock market forecasting were mostly statistical in nature. These consist of generalized autoregressive conditional heteroskedasticity (GARCH), autoregressive integrated moving average (ARIMA), and linear regression. These models attempt to ascertain the time-series connection and linear link within the time series.

2.2. Machine Learning-Based Approaches

With the rise of ML techniques, a new era was witnessed in stock market prediction wherein models could learn complex patterns without explicit programming from data. Among the popular algorithms are k-Nearest Neighbors (KNN), Random Forest (RF), Support Vector Machines (SVM), and Gradient Boosting Machines (GBMs). **Support Vector Machines (SVM):** SVMs have been applied to stock market prediction for their ability to handle classification and regression tasks. Their effectiveness lies in mapping input features to higher-dimensional spaces, capturing non-linear relationships. However, SVMs struggle with large datasets due to computational inefficiency.

2.2.1 Random Forest (RF) and Gradient Boosting Machines (GBMs): These ensemble methods are good at reducing overfitting and capturing non-linear dependencies. They are very useful when dealing with high-dimensional data. However, they are not designed to model temporal dependencies, which is a critical factor in financial time-series data. Although ML models do better than the traditional statistical approach in terms of predictive accuracy, they cannot natively model sequential data, thereby requiring additional feature engineering, thus limiting their scalability and adaptability.

2.3. Deep Learning Methods

By providing tools to model intricate, high-dimensional, and time-dependent data, deep learning has completely changed the prediction of the stock market. Convolutional neural networks, long short-term memory networks, and recurrent neural networks are some of the DL designs that have been studied the most.

Recurrent Neural Networks: Although RNNs perform well with sequential input, they are not suitable for modelling long-term dependencies due to the vanishing gradient issue.

Long Short-Term Memory (LSTM): By using memory cells and gating mechanisms, LSTMs can retain long-term dependence while overcoming the shortcomings of RNNs.

Convolutional neural networks (CNNs): CNN is mostly used for image processing, but because they treat time-series data as two-dimensional representations, they have been utilized in the stock market. They are not particularly excellent at modelling temporal relationships, but they are quite good at capturing spatial patterns.

III. METHODOLOGY

This paper's methodology section describes the methods and strategies utilized to create the suggested stock market prediction model. The procedure for gathering data will be covered in this section., the design and architecture of the deep learning model, the training process, evaluation methods, and how market volatility and intricate patterns are handled within the framework.

3.1 Data Collection

Gathering relevant high-quality data is the initial step in making any machine learning model. Historically stock price data are important for stock market prediction. Here, the data has been gathered from authentic suppliers of financial data, including Quandell, Alpha Vantage, and Yahoo Finance. This dataset includes all daily stock prices of various companies for more than five years. Open, close, high, low, trading volume, and several other market indicators are among the data elements it contains.



Fig 1. Comprehensive stock market prediction methodology

3.2 Data Preprocessing

Before the data was fed into the machine learning models, several preparation steps were taken to make sure it was clean, normalized, and structured to promote best use:

Missing Value Handling: Financial datasets often suffer from missing values. Forward and backward filling methods were applied, or imputation of mean or median could be employed if necessary.

Normalization: All the stock prices were of varied scales, leading to difficulties faced by the model in learning; all the numeric features were scaled between 0 and 1 using Min-Max scaling to ensure that features are treated equally well by the model and no particular feature dominates in the learning phase.

3.3 Model Architecture

The core of the proposed model would be a hybrid deep learning architecture that would combine LSTM networks and DNN. Such an architecture would capture aspects such as temporal patterns through LSTM and complex relationships between various features by using DNN. The hybrid approach can perform better by leveraging strengths from both models.



Fig 2. Illustration of the sliding window approach for LSTM.

Long Short-Term Memory (LSTM): An RNN type called LSTM is made to learn from time-series data and sequences. The ability of LSTM networks to retain long-term dependencies is essential for comprehending past trends in stock prices.

Deep Neural Networks (DNN): DNNs are feed-forward networks that can learn complex patterns through multiple layers of neurons. Such networks are appropriate for capturing relationships between technical indicators, market sentiment, and external macroeconomic variables.

The architecture has the following layers:

Input Layer: Stock prices, technical indicators, and external characteristics (economic data and sentiment analysis) are among the preprocessed features that are sent into the input layer.

LSTM Layer: The data's trends and temporal dependencies are captured by the LSTM layer.

Dense Layers: After the LSTM layer, dense layers (fully connected layers) are added to capture intricate patterns and interactions between the features.

Output Layer: The final output layer provides the predicted stock price for the next time step (or stock price direction).

IV. PERFORMANCE ANALYSIS

A thorough performance study of the suggested model is given in this section. The analysis's foundation is a comparison of the suggested strategy with current practices utilizing tests, datasets, and important performance measures. In addition, this section provides insight into the strengths and limitations of the model based on empirical evidence.

4.1. Evaluation Metrics

The following common performance indicators were employed to gauge the suggested model's efficacy:

MAE: Measures average size of error values between actual and predicted, gives easy to understand and robust accuracy model.

MSE: Places extra weight on greater errors. These errors tend to indicate whether extreme predictions have any impact on a model.

RMSE: The measure may be interpreted in the same unit as the target variable thanks to the squared root of MSE.

R-Squared (R^2): Calculates the proportion of the target variable's variation that the model can account for. Better performance is indicated by a higher R2 value.

Directional Accuracy: The ability of the model to predict the direction (up/down) of the movement of stock prices, which is of paramount importance for making decisions on the action plan.



Fig 4. MSC score accords 26 datasets.

4.2. Experimental Setup

The model proposed above was developed using Python with libraries for deep learning like TensorFlow and PyTorch. Key experimental details include:

Datasets: The experiments employed publicly available datasets like the S&P 500, NASDAQ, and historical data from Yahoo Finance. These datasets comprise stock prices, trading volume, and technical indicators spanning several years.

Training-Testing Split: Data is split as 70% for training and 30% for testing to get a proper and fair judgment about the model's performance with unknown data.

Hyperparameter Tuning: Grid search and cross-validation were used to adjust the number of LSTM layers, neurons, dropout rate, and learning rate.

Hardware Configuration: All experiments were performed on a system with NVIDIA RTX GPUs and 32GB RAM to carry out computationally intensive deep learning tasks.

4.3. Comparative Analysis

The proposed hybrid LSTM-DNN model was compared with the following benchmark methods:

Traditional Models: ARIMA, GARCH

Deep Learning Models: Standalone LSTM, GRU, CNN.

Results Overview

Table 1. Model Results Overview

Model	MAE	MSE	RMSE	R^2 Score	Directional Accuracy (%)
ARIMA	12.56	250.42	15.81	0.67	55.4
GARCH	11.89	245.13	15.65	0.69	56.2
Random Forest	10.34	215.87	14.69	0.73	60.3
Gradient Boosting	9.89	203.24	14.26	0.76	62.8
LSTM	8.45	187.45	13.68	0.81	67.9
CNN	8.79	192.13	13.86	0.80	66.5
Proposed LSTM-DNN Hybrid	7.56	165.34	12.86	0.86	7.25

4.4. Performance Visualization

The following visualizations were produced to gain a better understanding of the model's performance:

Prediction vs. Actual Values: Line graphs of predicted stock prices against actual values show how the model closely tracks trends and captures market volatility.

Error Distribution: Histograms of residuals show that the errors are normally distributed, meaning that the model does not suffer from systematic bias.

Feature Importance: A heatmap of feature importance shows the contribution of technical indicators, trading volume, and macroeconomic factors to the model's predictions.

V. PROFITABILITY POTENTIAL OF THE PROPOSED MODEL

Evaluating the proposed hybrid LSTM-DNN model on its profitability potential by evaluating whether it can generate actionable insights that can maximize returns while curtailing risks. This section zoomed in to find out the practical implications of predictions made by the model, its conformity with the financial objectives, and its ability to improve decision-making in the stock market.

5.1. Profitability Metrics

The following are important indicators used to assess the hybrid LSTM-DNN model's profitability:

Cumulative Return (CR): The total returns an investment strategy achieves using the model's predictions over a given period.

Sharpe Ratio: The Sharpe Ratio calculates the return adjusted for risk. Excess return per unit of volatility is how it is computed. The greater the risk-adjusted performance, the higher the Sharpe Ratio.

Maximum Drawdown (MDD): This indicator of the investment strategy's risk exposure is the biggest peak-to-trough fall.

Profit-to-Loss Ratio (P/L Ratio): This is the total profits over the total losses of the model to show that it is generating winning trades.

5.2. Results and Observations

The profitability metrics of the proposed model and the benchmarking methods are listed below in tabular form.

Table 2. Metric Results

Metric	ARIMA	Random Forest	LSTM	Proposed Model
Cumulative Return (%)	22.5	35.8	48.2	63.7
Sharpe Ratio	0.72	1.04	1.18	1.45
Maximum Drawdown (%)	18.4	12.9	10.7	8.5
Profit-to-Loss Ratio	1.6	2.2	2.7	3.4

Key Takeaways

The proposed model was outperforming the traditional statistical methods and the models developed through machine learning techniques on all the profitability metrics.

The Cumulative Return of 63.7% showcases that the model generates massive profits during the evaluation period.

The Sharpe Ratio of 1.45 points to the strong risk-adjusted performance of the model, thus being very appealing for the investor looking for stable returns.

Maximum Drawdown of 8.5% suggests that the model efficiently controls the drawdown, especially when there is market turmoil.

The Profit-to-Loss Ratio of 3.4 signifies the model's ability to spot profitable opportunities while at the same time minimizing losses.

VI. DEALING WITH MARKET VOLATILITY AND INTRICATE PATTERNS

Market volatility, which is influenced by economic events, geopolitical tensions, investor sentiment, and global market conditions, is a major challenge in stock market prediction. Intricate patterns, which are often the result of complex market behaviors, make it even more challenging to predict the stock market accurately. This section discusses how the proposed hybrid LSTM-DNN model deals with market volatility and intricate patterns to ensure robustness and reliability in the face of market fluctuations.

6.1. Market Volatility

The degree of fluctuation of stock prices in a short period is termed as market volatility. Often, highly volatile markets can be characterized by sudden price movements, whether upward or downward, and are unpredictable using traditional methods.

Reasons for Market Volatility:

Economic Reports: the employment data, inflation rates, and other macroeconomic indicators often cause massive movements in markets.
Geopolitical Events: Political instability, wars, trade disputes, or major policy changes may be disrupting the financial markets.

Market Sentiment: Fear and greed in investors may result in very quick movements of the stock price.

This proposed model can address these unpredictable fluctuations by using a combination of LSTM networks and DNNs, which can adapt well both to historical price movements and to unexpected changes in the market environment.

6.2. Handling Volatility with LSTM Networks

The capacity of LSTM networks to identify temporal connections in sequential data is what makes them so effective. The challenges of market volatility would thus be well addressed if there is a network that allows the internal memory of previous states; such a network is possible with LSTM that can understand long-term dependencies very important during periods of volatility.

6.2.1 Relevance of Dependencies in Short-Term and Long-Term

Even in tumultuous markets, LSTM can detect patterns because it can learn both short-term variations, like daily price movements, and long-term tendencies, like macroeconomic cycles. This being flexible enough to adjust its predictions of recent volatilities without ignoring historical trends improves the accuracy of prediction.

VII. CONCLUSION

To forecast stock market movements, we presented a hybrid model in this study that combines Deep Neural Networks (DNN) and Long Short-Term Memory (LSTM) networks. The uniqueness of this model is its strength in employing sequential data processing that is bestowed by LSTM along with state-of-the-art pattern recognition capabilities and feature extraction using DNN, thus powering financial prediction. The proposed hybrid model, LSTM-DNN, is compared with some traditional methods and is found to perform better regarding accuracy, robustness, and adaptability compared to traditional prediction methods in stock markets.

It could also deal with both time-series data (historical stock prices) and intricate market patterns; thus, it would be well suited to real-time applications in which accuracy in predictions was very crucial. Besides this, it models long-term dependencies in the prices of stocks by LSTM and draws complex features through DNN; thus, this could be applied for the forecasting of not only the prices of the stock but also of market trends, volatility, and other financial indicators.

Although promising, this study has a few limitations. Because it is based on historical data, the model could be very slow to react to market shocks that come as surprises or even events that are not anticipated in advance. It has the propensity for overfitting since it contains a complex model involving several layers of deep learning architecture. Lastly, lack of interpretability remains a big issue with this kind of model, especially in applications where the stakes are very high, such as finance.

Finally, the hybrid model LSTM-DNN represents a notable advancement in predicting the stock market. Despite various challenges, for instance, quality of data, overfitting, and lack of interpretability, the capture of intricate market patterns and trends as accomplished by this model shows it promises a lot of application in the realm of algorithmic trading, portfolio management, and other financial decision-making activities. Further research in overcoming the limitations will lead to its strengthening and real-world applicability to shape the future of financial forecasting and automated trading systems.

VIII. FUTURE WORK

Transfer Learning for Domain Adaptation: Transfer learning can be used to adapt the model to different markets or asset classes, such as commodities, cryptocurrencies, or forex. Transfer learning lets the model make use of its knowledge acquired on one domain and apply it to a new domain that has fewer data and less time for training. This can improve the scalability and versatility of the model significantly when applied to many financial markets.

IX REFERENCES

[1]. Zhang, G., Patuwo, B. E., & Hu, M. Y. (1998). Forecasting with artificial neural networks: The state of the art. *International Journal of Forecasting*, 14(1), 35-62.

[2]. He, H., & Xu, Z. (2014). Financial market forecasting with deep learning models. *Proceedings of the International Conference on Machine Learning (ICML)*.

[3]. Fischer, T., & Krauss, C. (2018). Deep learning with long short-term memory networks for financial prediction. *European Journal of Operational Research*, 270(2), 654-669.

[4]. Iqbal, J., & Khan, F. (2019). A comprehensive survey on deep learning approaches to stock market prediction. *Neural Computing and Applications*, 31(9), 5673-5689.

[5]. Tang, X., & Wang, F. (2020). A deep learning framework for stock market prediction using LSTM and GRU. *Computers, Materials & Continua*, 63(2), 867-884.

[6]. Shi, Y., & Wei, G. (2020). A hybrid LSTM and DNN model for stock market forecasting. *International Journal of Machine Learning and Cybernetics*, 11(6), 1557-1570.

[7]. Madan, S., & Patra, M. (2021). Financial time series prediction using hybrid models: A review. *Journal of King Saud University-Computer and Information Sciences*.

[8]. Zhang, Y., & Wang, W. (2021). A hybrid LSTM-DNN model for stock market prediction. *Proceedings of the International Conference on Machine Learning and Data Mining*.

[9]. Sudhakar, K., Gayathri, M., Annapureddy, Yashwanth, S., & Chand, A. V. (2025). An IoT-Based Approach for Air Quality Monitoring and Forecasting Using GRU Networks. *6th International Conference on Multidisciplinary and Current Educational Research (ICMCER)*, 6.

[10]. Sudhakar, K., Harsha, Siddika, K., Mallika, K. S., & Bharadhwaja, V. (2022). Synthetic media Deepfake Video Detection using ResNeXt & LSTM. *International Journal For Innovative Engineering and Management Research*, 11(6), 1471-1483.

[11]. AC, R. P., Sudhakar, K., JSV, G. K., Jasmine, V., & Nikhita, M. (2022). Scientific Understanding of Learning through Deep Learning Algorithms. *International Journal of Early Childhood Special Education (INT-JECS)*, 14(7), 1289-1305.

[12]. Balamurugan, A., GIriranjan, B., Sudhakar, K., Potluri, P., Kumar, K. R., & Sane, A. R. (2022). Data Management and Visual Information Processing in Financial Organisation using Machine Learning. *2022 International Conference on Augmented Intelligence and Sustainable Systems (ICAISS)*.

[13]. Sudhakar, K., N, A., Biradar, S., Indira, B., Basha, S. S., & T, K. (2021). Empirical View Of Financial Management Survey In Block Chain Technology Issues, Risk And Mitigation. *International Journal of Aquatic Science-IJAS*, 12(1), 259-267.

[14]. Sudhakar, K., & Gupta, J. N. (2019). Data Analytics on Consumer Behavior in Credit Card Industry. *Journal of Emerging Technologies and Innovative Research*, 6(3), 334-338.

[15]. Sudhakar, K., Mallireddy, S. M. R., Tallapureddy, P., Vuddanti, S., Katragadda, B., & Manda, S. R. (2023). Water Level Prediction using Random Forest Algorithm. *2023 7th International Conference on Electronics, Communication and Aerospace Technology (ICECA)*.

[16]. Sudhakar, K., Sree, S. C., Meghana, L., Bhavana, S., & Durga, B. N. (2022). Identification of types of intrusion attacks using spark and gradient boosted tree classifier. *International Journal For Innovative Engineering and Management Research*, 11(4), 49-55.

[17]. Sudhakar, K., Jyothsna, B. P., Laahiri, M., & Krishna, S. S. (2024). Prediction of Covid19 Outbreak And WNS Virus Using Machine Learning And Prophet. *International Conference Engineering, Social-Sciences, And Humanities (IC-ESSU- 2024)*, 4(1).

[18]. Mahalakshmi, N. V., Tejaswini, G., & Sudhakar, K. (2020). Feature Selection, based on teaching and learning based Optimization Algorithm. *International Journal of Computer Science & Mechatronics-IJCSM*, 1(1), 1-8.

[19]. Fischer, T., & Krauss, C. (2019). Forecasting stock returns with deep learning models. *International Journal of Forecasting*, 35(4), 1407-1422.

[20]. Chen, C., & Zhang, X. (2021). Stock market prediction using long short-term memory networks. *IEEE Access*, 9, 20454-20464.

[21]. Lin, Y., & Zhao, Z. (2022). Forecasting stock prices using deep learning models: A review. *Neural Networks*, 135, 1-22.

[22]. Weng, Y., & Liu, Z. (2021). A hybrid deep learning approach for stock market prediction. *Neural Processing Letters*, 54(2), 923-938.

[23]. Deng, Y., & Xu, Y. (2021). A novel hybrid model for stock price prediction: LSTM, DNN, and GRU. *Soft Computing*, 25(4), 2619-2632.

[24]. Lee, K., & Kim, S. (2020). Predicting stock prices using machine learning algorithms. *Procedia Computer Science*, 167, 1134-1143.

[25]. Ghosh, P., & Kuila, H. (2020). A hybrid model based on LSTM and random forest for stock price prediction. *Springer Proceedings in Complexity*, 13, 231-245.

[26]. Jiang, B., & Xu, M. (2021). Deep learning for stock market prediction: A survey. *Computers and Electrical Engineering*, 91, 106997.

[27]. Xie, X., & Cheng, Y. (2019). Stock market prediction using long short-term memory and Gated Recurrent Units: A review. *Journal of Intelligent Systems*, 28(1), 1673-1686.

[28]. Zhou, Y., & Zhang, L. (2019). Stock market forecasting using hybrid LSTM-DNN models. *IEEE Transactions on Neural Networks and Learning Systems*, 30(12), 3471-3484.

[29]. Zhang, D., & Zhang, L. (2020). LSTM-based deep learning models for stock market prediction. *Proceedings of the International Conference on Intelligent Data Engineering and Automated Learning (IDEAL)*.

[30]. He, X., & Liu, J. (2020). A deep learning approach to stock price prediction based on technical indicators. *Future Generation Computer Systems*, 106, 47-55.

[31]. Jayanthi, S., & Ramasubramanian, V. (2020). A deep learning-based stock prediction framework using LSTM. *Journal of Computational and Applied Mathematics*, 378, 112998.

[32]. Zhang, G., & Gao, L. (2021). Hybrid models for predicting financial time series: A comprehensive survey. *Neurocomputing*, 433, 343-360.

[33]. Bai, Y., & Sun, Z. (2019). Deep learning for stock market prediction: A survey. *Journal of Financial Data Science*, 1(1), 1-19.

[34]. Xu, L., & Zhang, F. (2021). A survey of deep learning techniques for stock market prediction. *Mathematical Problems in Engineering*, 2021, 1-12.

[35]. Zhao, L., & Yang, M. (2021). Combining LSTM and DNN models for time-series prediction of stock prices. *Soft Computing*, 25(1), 249-261.

©smsamspublications.com